

Health and Quality of Life Performance Measures: Adults and Seniors with Disabilities

#	Performance Measure	Further Description	Specification Source	Data Source	Population Reported *
Access/Utilization of Care					
1	Access to Members Assigned PCP (AMP)	Percentage of members who had an ambulatory or preventive care visit with the members assigned PCP during the measurement year.	State	Claims/ Encounter	All, Aging & PD
2	Ambulatory Care (AMB)	Emergency Department visits per 1,000 Enrollees	HEDIS®	Claims/ Encounter	All, Aging, PD & DD
3	Ambulatory Care Follow-up with a Provider within 14 Days of Emergency Department (ED) Visit (APE)	Follow-up with any Provider within 14 days following Emergency Department visit	State	Claims/ Encounter	All, Aging & PD
4	Inpatient Utilization General Hospital/Acute Care (IPU)	Utilization of acute inpatient care and services, per 1,000 Enrollees, in the following categories: Total inpatient, Surgery, Medicine and Maternity.	HEDIS®	Claims/ Encounter	All, Aging & PD
5	Ambulatory Care Follow-up with a Provider within 14 Days of Inpatient Discharge (API)	Ambulatory care follow-up visit within 14 days of having an inpatient hospital stay.	State	Claims/ Encounter	All, Aging & PD
6	Inpatient Hospital 30-Day Readmission Rate	Inpatient Hospital readmission for the same discharge diagnosis within 30 days after having an initial inpatient hospital stay.			
	1) Acute inpatient facility (IHR)		State	Claims/ Encounter	All, Aging & PD
	2) Inpatient mental hospital (IMR)		State	Claims/ Encounter	All & PD
Preventive/Screening Services					
7	Care Coordination Influenza Immunization Rate (CCI)	Percentage of members 19 years and older who received at least one influenza immunization during the measurement year.	State	Claims/ Encounter	All, Aging, PD & DD
8	Colorectal Cancer Screening (COL)	Percentage of members 50-75 years of age who had appropriate screening for colorectal cancer.	HEDIS®	Claims/ Encounter	All & Aging
9	Breast Cancer Screening (BCS)	Percentage of women 40-69 years of age who had a mammogram to screen for breast cancer.	HEDIS®	Claims/ Encounter	All, Aging & PD

* All = Total ICP population, Aging = Aging Waiver Members, PD = Physically disabled, TBI and HIV/AIDS waiver members, DD = Developmentally disabled waiver members

Health and Quality of Life Performance Measures: Adults and Seniors with Disabilities

#	Performance Measure	Further Description	Specification Source	Data Source	Population Reported *
10	Cervical Cancer Screening (CCS)	Percentage of women 21-64 years of age who received one or more Pap tests to screen for cervical cancer.	HEDIS®	Claims/ Encounter	All & PD
11	Adult BMI Assessment (ABA)	Percentage of members 18-74 years of age who had an outpatient visit and who had their body mass index (BMI) documented during the measurement year or the year prior to the measurement year.	HEDIS®	Claims/ Encounter	All & PD
12	Glaucoma Screening in Older Adults (GSO)	Percentage of members age 40 – 59, 60 – 64, 65 years and older and Total who received a glaucoma eye exam by an eye care professional for early identification of glaucomatous conditions.	State	Claims/ Encounter	All & Aging
Dental					
13	Annual Dental Visit (ADV)	Percentage of members 19-20, and 21 years of age and older who had at least one dental visit during the measurement year.	State	Claims/ Encounter	All, PD & DD
14	Dental ER Visit (DERV)	The number of dental emergency room visits during the measurement year per 1,000 members.	State	Claims/ Encounter	All & PD
Appropriate Care					
15	Annual Monitoring for Patients on Persistent Medications (MPM)	Percentage of members who received at least 180 treatment days of ambulatory medication therapy for a select therapeutic agent and at least one therapeutic monitoring event for the agent during the measurement year. Report on each of the following rates: ACE/ARB, Digoxin, Diuretics, Anticonvulsants and Total.	HEDIS®	Claims/ Encounter	All, Aging & PD
16	Use of High-Risk Medications in the Elderly (DAE)	Assesses the percentage of member's age ≥60 who received at least one drug to be avoided in the elderly and the percentage of members who received at least two different drugs to be avoided in the elderly. A lower rate represents better performance	State	Claims/ Encounter	All & Aging
17	Comprehensive Diabetes Care	The percentage of members 18-75 years of age with			

* All = Total ICP population, Aging = Aging Waiver Members, PD = Physically disabled, TBI and HIV/AIDS waiver members, DD = Developmentally disabled waiver members

Health and Quality of Life Performance Measures: Adults and Seniors with Disabilities

#	Performance Measure	Further Description	Specification Source	Data Source	Population Reported *
	(CDC)	diabetes (type 1 and type 2) who had each of the following.			
	1) Hemoglobin A1c (HbA1c) testing	An HbA1c test performed during the measurement year.	HEDIS®	Claims/Encounter	All, Aging, PD & DD
	2) Medical attention for nephropathy	A Nephropathy screening or evidence of nephropathy.	HEDIS®	Claims/Encounter	All, Aging & PD
	3) LDL-C screening	An LDL-C test performed during the measurement year.	HEDIS®	Claims/Encounter	All, Aging & PD
	4) Statin Therapy	Statin Therapy 80% of the time	State	Claims/Encounter	All, Aging & PD
	5) ACE/ARB Therapy	ACE/ARB 80% of the time	State	Claims/Encounter	All, Aging & PD
18	Congestive Heart Failure (CHF)	Percentage of members with congestive heart failure (CHF) who had the following:			
	1) ACE/ARB 80% of the time		State	Claims/Encounter	All & Aging
	2) Beta Blocker 80% of the time		State	Claims/Encounter	All & Aging
	3) Diuretic 80% of the time		State	Claims/Encounter	All & Aging
19	Coronary Artery Disease (CAD)	The percentage of members with coronary artery disease (CAD) who had the following:			
	1) Cholesterol testing	Members with CAD who had cholesterol tested at least once during the measurement year.	HEDIS®	Claims/Encounter	All & Aging
	2) Statin Therapy 80% of the Time		State	Claims/Encounter	All & Aging
	3) ACE/ARB Therapy 80% of the Time		State	Claims/Encounter	All & Aging
	4) Persistence of Beta-Blocker Treatment After a Heart Attack	The percentage of members 19 years of age and older during the measurement year who were	HEDIS®	Claims/Encounter	All & Aging

* All = Total ICP population, Aging = Aging Waiver Members, PD = Physically disabled, TBI and HIV/AIDS waiver members, DD = Developmentally disabled waiver members

Health and Quality of Life Performance Measures: Adults and Seniors with Disabilities

#	Performance Measure	Further Description	Specification Source	Data Source	Population Reported *
	(PBH)	hospitalized with AMI and who received persistent beta-blocker treatment for six months after discharge.			
20	Pharmacotherapy Management of COPD Exacerbation (PCE)	The percentage of COPD exacerbations for members 40 years of age and older who had an acute inpatient discharge or ED encounter and who were dispensed appropriate medications.			
	1) Dispensed a systemic corticosteroid within 14 days of the event		HEDIS®	Claims/ Encounter	All, Aging & PD
	2) Dispensed a bronchodilator within 30 days of the event		HEDIS®	Claims/ Encounter	All, Aging & PD
	3) Use of Spirometry testing in the Assessment and Diagnosis of COPD (SPR)	The percentage of members 40 years old or older with a new diagnosis or newly active COPD, and who received appropriate Spirometry testing to confirm the diagnosis.	HEDIS®	Claims/ Encounter	All, Aging & PD
Long Term Care					
21	Long Term Care – Urinary Tract Infection Admission Rate (UTI)	LTC hospital utilization due to urinary tract infections	State	Claims/ Encounter	LTC
22	Long Term Care – Bacterial Pneumonia Admission Rate (BPR)	LTC hospital utilization due to bacterial pneumonia.	State	Claims/ Encounter	LTC
23	Long Term Care Residents – Prevalence of Pressure Ulcers (PPU)	LTC Residents that have category/ stage II or greater pressure ulcers.	State	Claims/ Encounter	LTC
Behavioral Health					
24	Antidepressant Medication Management (AMM)	Percentage of members diagnosed with a new episode of major depression and treated with antidepressant medication, and who remained on an antidepressant medication for Effective Acute Phase Treatment - At least 84 days continuous treatment with antidepressant medication during 114 day period following Index Prescription Start Date (IPSD)	HEDIS®	Claims/ Encounter	All & PD

* All = Total ICP population, Aging = Aging Waiver Members, PD = Physically disabled, TBI and HIV/AIDS waiver members, DD = Developmentally disabled waiver members

Health and Quality of Life Performance Measures: Adults and Seniors with Disabilities

#	Performance Measure	Further Description	Specification Source	Data Source	Population Reported *
25	Antidepressant Medication Management (AMM)	Percentage of members diagnosed with a new episode of major depression and treated with antidepressant medication, and who remained on an antidepressant medication for Effective Continuation Phase Treatment - At least 180 days continuous treatment with antidepressant medication during 231 day period following Index Prescription Start Date (IPSD).	HEDIS®	Claims/ Encounter	All & PD
26	Adherence to Antipsychotic Medications for Individuals With Schizophrenia (SAA)	Percentage of member's age 19 – 64 years with schizophrenia who were dispensed and remained on an antipsychotic medication for at least 80% of their treatment period.	HEDIS®	Claims/ Encounter	All & PD
27	Adherence to Appropriate Medications for Individuals Diagnosed with Psychoses and Bi-Polar Disorders (PBD)	Percentage of members diagnosed with psychoses and bi-polar disorders who maintained medication adherence at 6 months and 12 months.	State	Claims/ Encounter	All & PD
28	Diabetes Screening for People With Schizophrenia or Bipolar Disorder Who Are Using Antipsychotic Medications (SSD)	Percentage of members with schizophrenia or bipolar disorder, who were dispensed an antipsychotic medication and had a diabetes screening during the measurement year.	HEDIS®	Claims/ Encounter	All & PD
29	Diabetes Monitoring for People With Diabetes and Schizophrenia (SMD)	Percentage of members with schizophrenia and diabetes who had both an LDL-C test and an HbA1c test during the measurement year.	HEDIS®	Claims/ Encounter	All & PD
30	Cardiovascular Monitoring for People With Cardiovascular Disease and Schizophrenia (SMC)	Percentage of members with schizophrenia and cardiovascular disease, who had an LDL-C test during the measurement year.	HEDIS®	Claims/ Encounter	All & PD
31	Behavioral Health Risk Assessment and Follow-up (BHRA)	Percentage of new members who completed a behavioral health assessment (BHRA) within 60 days of enrollment. Also measures percent of Enrollees with a positive finding on BHRA who receive follow-up with MH provider within 30 days of assessment			

* All = Total ICP population, Aging = Aging Waiver Members, PD = Physically disabled, TBI and HIV/AIDS waiver members, DD = Developmentally disabled waiver members

Health and Quality of Life Performance Measures: Adults and Seniors with Disabilities

#	Performance Measure	Further Description	Specification Source	Data Source	Population Reported *
	1) Behavioral Screening/ Assessment within 60 days of enrollment		State	MCO	All, Aging & PD
	2) Behavior Health follow-up within 30 days of screening		State	MCO	All, Aging & PD
32	Initiation and Engagement of Alcohol and Other Drug Dependence Treatment (IET)	Members with a new episode of alcohol or other drug (AOD) dependence who received initiation and engagement of AOD treatment.	HEDIS®	Claims/ Encounter	All & PD
33	Follow-up with a Provider within 30 Days after an Initial Behavioral Health Diagnosis (FUP)	Determines if a member had timely follow-up with a Practitioner following their initial behavioral health diagnosis.	State	Claims/ Encounter	All, Aging & PD
34	Follow-Up After Hospitalization for Mental Illness (FUH)	The percentage of discharges for members 19 years and older who were hospitalized for treatment of selected mental health disorders and who had an outpatient visit, an intensive outpatient encounter or partial hospitalization with a mental health practitioner.			
	1) Follow-up within 7 days of discharge		HEDIS®	Claims/ Encounter	All, Aging & PD
	2) Follow-up within 30 days of discharge		HEDIS®	Claims/ Encounter	All, Aging & PD
35	Mental Health Utilization (MPT)	Percentage of members receiving the following mental health services during the measurement year, per 1,000 Enrollees: Any service, Inpatient, Outpatient or ED, and Intensive outpatient or partial hospitalization.	HEDIS®	Claims/ Encounter	All, Aging & PD
36	Severe Mental Illness (SMI)	Recovery-oriented measures for persons with SMI receiving MH services			
	1) Stability in Family and Living Conditions		State	DHS/ Provider	All & PD
	2) Return or Stay in School		State	DHS/ Provider	All & PD

* All = Total ICP population, Aging = Aging Waiver Members, PD = Physically disabled, TBI and HIV/AIDS waiver members, DD = Developmentally disabled waiver members

Health and Quality of Life Performance Measures: Adults and Seniors with Disabilities

#	Performance Measure	Further Description	Specification Source	Data Source	Population Reported *
	3) Criminal/Juvenile Justice Involvement		State	DHS/ Provider	All & PD
	4) Employment Status		State	DHS/ Provider	All & PD
Waiver Utilization					
37	Movement of Members between Community, Waiver and LTC Services (MWS)	Report number of members moving from: institutional care to waiver services, community to waiver services community to institutional care and waiver services to institutional care. (Exclude institutional stays ≤ 90 days)	State	MCO/HFS	All, Aging, PD & SLF
Surveys					
38	CAHPS – Consumer Assessment of Health Plan Survey (CPA)	CAHPS, Adult Version as approved by HFS. Provides information on the experiences of members with the organization and gives a general indication of how well the organization meets member’s expectations.	State	MCO Survey	All, Aging, PD & DD
39	Fall Risk Management (FRM)	The percentage of Medicaid members 60 years of age and older who had a fall or had problems with balance or walking in the past 12 months, who were seen by a practitioner in the past 12 months and who received fall risk intervention from their current practitioner	State	MCO/ Survey	All, Aging
40	Management of Urinary Incontinence in Older Adults (MUI)	<i>Discussing:</i> Members who reported having a problem with urine leakage in the past six months and who discussed their urine leakage problem with their current practitioner. <i>Receiving Treatment:</i> Members who reported having a urine leakage problem in the past six months and who received treatment for their current urine leakage problem.	State	MCO/ Survey	All, Aging
41	Physical Activity in Older Adults (PAO)	<i>Discussing Physical Activity:</i> Members who had a doctor’s visit in the past 12 months and who spoke with a doctor or other health provider about their level of exercise or physical activity. <i>Advising Physical Activity:</i> Members who had a doctor’s visit in the past 12 months and who received advice to start, increase	State	MCO/ Survey	All, Aging

* All = Total ICP population, Aging = Aging Waiver Members, PD = Physically disabled, TBI and HIV/AIDS waiver members, DD = Developmentally disabled waiver members

Health and Quality of Life Performance Measures: Adults and Seniors with Disabilities

#	Performance Measure	Further Description	Specification Source	Data Source	Population Reported *
		or maintain their level exercise or physical activity.			
42	Aspirin Use and Discussion (ASP)	<p>Aspirin Use. A rolling average represents the percentage of members who are currently taking aspirin. Includes the following in the denominator: Women ages 55-79 with at least 2 risk factors for heart disease, Men ages 45-64 with at least one risk factor for heart disease and Men ages 65-79 regardless of risk factors.</p> <p>Discussing Aspirin Risks and Benefits. A rolling average represents the percentage of members who discussed the risks and benefits of using aspirin with a doctor or other health provider. Includes the following in the denominator: Women ages 55-79 and men ages 45-79.</p>	State	MCO/ Survey	All, Aging
43	Participant Outcomes and Status Measures (POSM) Quality of Life Survey	<p>Program participant perception of quality of life. Purposes: 1) help determine quality of life measures that should be considered in developing service plans; 2) determine if quality of life improvements are reported by participants over time; and, 3) assist in identifying areas in need of quality improvement.</p>	State	MCO/ Survey	Aging

* All = Total ICP population, Aging = Aging Waiver Members, PD = Physically disabled, TBI and HIV/AIDS waiver members, DD = Developmentally disabled waiver members